

Wayne
Dalton[™]
GARAGE DOORS

MODEL

6600

CARRIAGE HOUSE STEEL




Model 6600 Springfield panel, Custom finish, Stockbridge windows

1 Choose Your Style


All door top sections are available in arched or square designs.

Double car door designs are equivalent to 2 single-car doors side by side.


Square Top




Arlington




Ashburn




Brunswick




Lexington




Richmond




Savannah




Somerset




Springfield



Bellview




Kingston




Westfield


Arched Top (windows not available with arched top overlay designs)




Arlington




Ashburn




Brunswick




Lexington




Richmond




Savannah




Somerset




Springfield



Bellview



Kingston




Westfield


DecaTrim™ II Overlay Texture Options



Smooth



Wood Grain



2 Choose Your Color

DecaTrim™ II overlays are provided in White only. For a two-toned look, choose from, Almond, Taupe, Brown or Black as shown below.



White/White



Almond/White



Taupe/White



Brown/White



Black/White

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Dealer for accurate color matching.

3 Choose Your Window

Window patterns are shown for a typical single-car door. Spacing of windows may change depending on door size. Not all windows are available in all door sizes.

DecaTrim™ II Smooth Overlay windows

The following standard window options feature a smooth DecaTrim™ II overlay board to match the door's design.



Clear II



Cascade III



Stockbridge



Stockton III



Arched Stockton



Waterton III

DecaTrim™ II Wood Grain Overlay windows

For doors ordered with wood grain overlays, the following windows are available.



Clear Long



Stockbridge



Stockton



Stockton Arch



Somerton



Wyndbridge

Cold Environment windows

For northern regions with extreme cold environments, the following upgraded windows are strongly recommended. These windows include two plastic frames that provide an extra seal to protect the door section from harsh weather conditions. Optional 1/2" insulated glass is also available.



Clear II



Cascade III



Stockbridge



Stockton III




Arched Stockton



Waterton III


Window Comparison

Doors built with the **DecaTrim™ II Smooth Overlay windows** use a cleaner looking top section design where the wood overlay is routed from a wood face panel.




8x7 6600 Arlington with Stockbridge DecaTrim™ II windows

Doors with **Cold Environment** and **DecaTrim™ II Wood Grain Overlay windows** use a classic wood door design with the top section constructed from wood overlay boards.



8x7 6600 Arlington with Stockbridge Cold Environment windows

4 Choose Your Hardware



Spear

Two Spear pull handles and one bottom lift handle are included for single car doors. Double car doors come with two sets of decorative hardware (four Spear pull handles and two bottom lift handles). Decorative hinges are also available, please see dealer for details.

Additional hardware designs are shown below.



Arrow



Aspen



Barcelona



Conifer



Fleur-de-Lis



Model 6600 Kingston Arched panel, Custom paint, decorative hardware

unique. durable. stylish.

Made with two layers of steel, polyurethane foam insulation and DecaTrim™ II Overlays.

The Model 6600 is not only durable, but a unique way to add style and curb appeal to your home.



Model 6600, Brunswick Square Top panel, Custom paint, Clear II Cold Environment windows

PERFORMANCE FEATURES



Insulation

Model 6600 comes with foamed-in-place polyurethane insulation with an R-value of 12.12*, which can improve the thermal efficiency of your garage space, reduce street noise and make the door operate more quietly.



Durable DecaTrim™ II Overlays

These overlay boards are specially treated to resist termites, weather and fungal decay.

Joint Seals

Snug fitting tongue-and-groove section joints reduces wind and weather from entering the garage.

*Wayne Dalton uses a calculated door section R-value for our insulated doors.

Heavy Duty Hinges

Attractive 14-gauge heavy duty hinges provide maximum strength between sections, stability and smoother door operation.

Quiet Rollers

Ball-bearing rollers with nylon wheels and solid steel shafts provide years of smooth, quiet and dependable service.



Windsafe™

Available with optional hardware and reinforcement for high-wind regions. Please consult your dealer for details.



Model 6600 offers a Limited Lifetime Warranty on the steel skin. Two year warranty against delamination on factory attached overlay material. Warranties vary by model, and are available upon request. See full text of warranty for details.

AFTER

BEFORE



Model 6600, Bellview arched panel, Brown/White finish, decorative hardware



Garage Door Design Center

Visit wayne-dalton.com/commercial to find our Architect Resource Center. In this tool, you will quickly find all of the specifications, drawings and documents you need to complete your project.

Wayne Dalton
GARAGE DOORS™

DISTRIBUTED BY:

2501 S. State Hwy 121 Bus., Ste 200
Lewisville, TX 75067

wayne-dalton.com



© 2017 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item 351657 01/2017